



ALUMINIUM

—ESSENTIALS—

Reliable. Affordable.
Setting a price & quality standard getting the most out of any budget.

| | | |
|--------|--------|--------|
| ○ 26mm | ○ 29mm | ○ 26mm |
| 110 | 140 | 140 |
| 140 | 160 | 160 |
| | 180 | 180 |
| | 200 | |



| | | | |
|------|------|------|----------------------|
| A1 | A2 | A3 | |
| 0-50 | 0-50 | 0-50 | TAIL EXTENSION RANGE |
| 9 | 12 | 18 | TAIL WIDTH |



Stiffer. Stronger.
For the more demanding user who is looking for an extra step in performance and durability.

| | | |
|--------|--------|-----------|
| ○ 27mm | ○ 29mm | ○ 26x32mm |
| 140 | 180 | 140 |
| 160 | 200 | 160 |
| | | 180 |
| | | 200 |



| | | | |
|------|------|------|----------------------|
| A4 | A5 | A6 | |
| 0-50 | 0-50 | 0-50 | TAIL EXTENSION RANGE |
| 12 | 18 | 18 | TAIL WIDTH |

CARBON



Stiffer. Stronger.
For the more demanding user who is looking for an extra step in performance and durability.

| | | |
|--------|--------|--------|
| ○ 27mm | ○ 27mm | ○ 28mm |
| 140 | 170 | 190 |
| 160 | | |



| | | | | |
|------|------|------|-------|----------------------|
| C1 | C2 | C3 | C4 | |
| 0-60 | 0-50 | 0-50 | 30-80 | TAIL EXTENSION RANGE |
| 11 | 18 | 21.2 | 29.4 | TAIL WIDTH |



Uncompromised Performance.
The highest grade of materials result in the lowest possible weight, highest stiffness and performance.

| | | | |
|--------|--------|--------|--------|
| ○ 25mm | ○ 27mm | ○ 27mm | ○ 28mm |
| 140 | 160 | 170 | 190 |



| | | | | | |
|------|------|------|------|-------|----------------------|
| C5 | C6 | C7 | C8 | C9 | |
| 0-60 | 0-60 | 0-50 | 0-50 | 30-80 | TAIL EXTENSION RANGE |
| 11 | 11 | 18 | 21.2 | 29.4 | TAIL WIDTH |